

## Soil and Weather Information for Corn Test Locations

Location	Soil type	Precipitation (inches)					Season
		May	June	July	August		
Albany	Grundy silt loam	2.6	2.5	3.6	4.9	13.6	
Canton	Westerville silt loam	1.1	0.7	1.9	2.6	6.3	
Charleston	Libourn fine sandy loam	2.8	0.8	5.1	13.7	22.4	
Columbia	Mexico silt loam	1.8	2.2	5.5	5.1	14.6	
Dexter	Farrenburg fine sandy loam	2.5	0.3	2.8	9.4	15.0	
Fisk	Amagon silt loam	1.5	0.3	2.9	6.0	10.7	
Garden City Dry	Haig silt loam	2.5	2.1	4.2	2.1	10.9	
Henrietta	Haynie silt loam	2.2	2.1	3.2	3.4	10.9	
Lamar Dry	Barden silt loam	4.0	5.2	4.1	4.3	17.6	
Lamar Irr	Barden silt loam	4.0	5.2	4.1	4.3	17.6	
Lockwood Irr	Parsons silt loam	6.0	5.1	1.8	6.9	19.8	
Mooresville	Lagonda silty clay loam	1.8	1.9	2.2	5.6	11.5	
Mt. Vernon Irr	Creldon silt loam	6.3	2.7	3.4	7.5	19.9	
Norborne	Norborne loam	3.1	2.4	2.7	5.1	13.3	
Novelty	Putnam silt loam	1.6	0.1	1.6	4.9	8.2	
Portageville	Tiptonville silt loam	4.5	2.1	3.6	7.6	17.8	
Rock Port	Salix silty clay loam	5.2	2.3	6.8	4.3	18.6	
Truxton	Mexico silt loam	2.6	1.2	2.9	6.1	12.8	
Urich Dry	Hartwell silt loam	2.3	2.1	5.0	2.4	11.8	
Vandalia	Putnam silt loam	2.1	1.8	2.8	5.3	12.0	