

SOIL AND WEATHER INFORMATION FOR TEST LOCATIONS

Location	Soil type	Precipitation (inches)				
		May	June	July	August	Season
Albany	Grundy silt loam	6.9	4.3	3.6	2.9	17.7
Canton	Westerville silt loam	3.7	2.1	4.0	0.7	10.5
Charleston	Libourn fine sandy loam	6.0	2.7	2.4	4.4	15.5
Columbia	Mexico silt loam	6.0	1.3	2.4	3.8	13.5
Dexter	Farrenburg fine sandy loam	3.8	1.3	2.3	2.4	9.8
Fisk	Calhoun silt loam	4.7	0.7	1.8	3.8	11.0
Vandalia	Putnam silt loam	7.5	1.6	5.8	1.7	16.6
Garden City Dry	Kenoma silt loam	9.3	1.7	8.6	2.3	21.9
Garden City Irr	Haig silt loam	9.3	1.7	8.6	2.3	21.9
Henrietta	Haynie silt loam	3.5	3.3	4.5	1.8	13.1
Lamar Dry	Parsons silt loam	11.6	1.7	1.2	2.9	17.4
Lamar Irr	Parsons silt loam	11.6	1.7	1.2	2.9	17.4
Mooreville	Lagonda silty clay loam	5.0	5.9	6.2	2.6	19.7
Mt. Vernon	Keeno gravelly silt loam	11.6	1.9	1.0	4.4	18.9
Norborne	Norborne loam	4.6	1.3	4.4	1.9	12.2
Novelty	Putnam silt loam	4.4	3.9	3.5	1.5	13.3
Portageville	Tiptonville silt loam	6.9	1.9	4.3	5.6	18.7
Rock Port	Salix silty clay loam	4.5	7.7	5.2	1.5	18.9
Truxton	Mexico silt loam	11.2	2.0	11.7	4.6	29.5
Urich	Hartwell silt loam	9.6	3.2	9.6	2.9	25.3