

Soil and Weather Information for Soybean Test Locations 2026

Location	Soil type	Precipitation (inches)					
		May	June	July	August	September	Season
Albany	Grundy silt loam	4.0	7.1	3.0	5.5	1.7	21.3
Canton	Westerville silt loam	2.4	6.3	2.9	7.5	0.7	19.8
Carthage	Maplegrove silt loam	6.5	8.0	2.7	0.6	1.7	19.5
Clarkton	Broseley loamy fine sand	4.4	4.9	3.9	2.0	1.0	16.2
Columbia	Mexico silt loam	5.1	9.9	2.6	3.1	1.0	21.7
Dexter	Lilbourn fine sandy loam	4.5	6.6	4.0	3.7	1.0	19.8
Fisk	Amagon silt loam	4.8	4.6	3.0	3.4	1.0	16.8
Henrietta	Haynie silt loam	5.3	7.3	3.5	4.2	1.8	22.1
Lamar	Barden silt loam	6.5	8.0	2.7	0.6	1.7	19.5
Mooresville	Lagonda silty clay loam	3.5	7.0	3.3	4.3	1.7	19.8
Norborne	Norborne loam	5.5	7.3	3.2	4.2	1.2	21.4
Novelty	Kilwinning silt loam	2.3	6.7	3.3	5.9	0.6	18.8
Portageville	Tiptonville silt loam	6.8	4.9	5.1	3.0	1.1	20.9
Rock Port	Salix silty clay loam	4.5	8.6	4.1	2.9	3.3	23.4
Sikeston	Lilbourn fine sandy loam	4.2	5.8	4.5	4.0	1.0	19.5
Springfield	Keeno-Bona complex	8.1	7.4	3.9	1.6	0.6	21.6
Truxton	Mexico silt loam	6.2	8.4	3.9	4.0	0.7	23.2
Urich	Hartwell silt loam	8.0	6.7	3.3	2.9	1.9	22.8
Vandalia	Mexico silt loam	4.8	9.0	3.4	3.6	0.8	21.6