

SOIL AND WEATHER INFORMATION FOR TEST LOCATIONS

Location	Soil type	Precipitation (inches)					
		May	June	July	Aug.	Sept.	Season
Albany	Grundy silt loam	6.9	4.3	3.6	2.9	0.9	18.6
Campbell	Overcup silt loam	5.5	1.3	3.8	5.0	0.5	16.1
Canton	Westerville silt loam	2.7	2.1	4.0	0.7	2.9	13.4
Charleston	Sikeston loam	4.5	3.5	2.3	3.6	1.6	15.5
Columbia	Mexico silt loam	5.2	1.4	2.5	3.9	1.9	15.7
Dexter	Farrenburg fine sandy loam	3.8	1.3	2.3	2.4	0.6	10.3
Fisk	Calhoun silt loam	5.0	1.0	2.4	4.5	4.8	13.2
Garden City	Haig silt loam	7.5	2.3	6.1	2.6	0.7	19.2
Henrietta	Haynie silt loam	5.1	1.7	4.5	1.8	1.0	14.1
Lamar	Parsons silt loam	10.9	2.1	1.6	2.6	0.7	18.0
Mooreville	Lagonda silty clay loam	5.1	6.0	6.3	2.5	1.7	21.7
Norborne	Norborne loam	4.5	1.4	4.1	1.9	1.1	13.2
Novelty	Putnam silt loam	4.4	3.9	3.5	1.5	4.0	17.3
Portageville	Tiptonville silt loam	6.9	1.9	4.3	5.6	0.9	19.6
Rock Port	Salix silty clay loam	4.5	7.7	5.2	1.5	1.3	20.2
Springfield	Keeno-Bona complex	7.7	1.7	1.3	6.0	0.8	17.5
Truxton	Mexico silt loam	10.8	2.0	12.0	4.5	1.4	30.7
Urich	Hartwell slit loam	9.5	2.9	9.3	3.2	1.0	25.9
Vandalia	Putnam silt loam	7.7	1.7	5.8	1.8	1.9	18.9