

## CHARACTERISTICS FOR SOFT RED WINTER WHEAT VARIETIES

All information in this table was provided by the seed companies. The MU Variety Testing Program does not guarantee accuracy. Please contact seed dealers for the latest information.

Variety name	Maturity <sup>1</sup>	Head type <sup>2</sup>	Winter hardy <sup>3</sup>	Hessian fly <sup>4</sup>	FHB <sup>5</sup>	Stem rust <sup>6</sup>	Leaf rust <sup>7</sup>	BYDV <sup>8</sup>	Seed treatment <sup>9</sup>
AgriMAXX Wheat Company — AgriMAXX 473	E	A	G	R	1	N/I	2	2	9
AgriMAXX Wheat Company — AgriMAXX 503	ME	U	E	S	2	2	3	3	9
AgriMAXX Wheat Company — AgriMAXX 505	ME	A	E	S	3	4	3	4	9
AgriMAXX Wheat Company — AgriMAXX 511	E	A	E	S	2	2	2	3	9
AgriMAXX Wheat Company — AgriMAXX 513	ME	A	E	R	2	2	2	2	9
AgriMAXX Wheat Company — AgriMAXX 514	M	A	E	S	2	3	3	2	9
AgriMAXX Wheat Company — AgriMAXX 516	M	A	E	S	2	2	2	2	9
AgriMAXX Wheat Company — AgriMAXX 520	UE	U	E	S	3	3	4	3	9
AgriMAXX Wheat Company — AgriMAXX 525	M	A	E	S	2	3	3	2	9
AgriMAXX Wheat Company — AgriMAXX EXP 2105	M	A	E	S	3	3	2	2	9
AgriMAXX Wheat Company — AgriMAXX EXP 2222	M	A	E	S	2	3	2	2	9
AgriPro — GP 381	M	U	G	R	3	N/I	3	2	1, 10
AgriPro — GP 747	L	A	E	S	5	N/I	6	5	1, 10
AgriPro — GP348	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	
AgriPro — GP463	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	
AgriPro — Y 547	M	U	E	S	4	N/I	4	5	1, 10
AgriPro — SY Viper	M	U	G	S	5	N/I	6	5	1, 10
Cache River Valley Seed — Dixie Brown	M	A	E	I	3	2	3	3	2, 10
Cache River Valley Seed — DXEX 21-1	M	A	E	N/I	2	2	3	3	2, 10

## Characteristics for wheat varieties (continued)

Variety name	Maturity <sup>1</sup>	Head type <sup>2</sup>	Winter hardy <sup>3</sup>	Hessian fly <sup>4</sup>	FHB <sup>5</sup>	Stem rust <sup>6</sup>	Leaf rust <sup>7</sup>	BYDV <sup>8</sup>	Seed treatment <sup>9</sup>
Cache River Valley Seed — DXEX 21-2	M	A	E	N/I	3	2	3	3	2, 10
Cache River Valley Seed — DXEX 21-3	M	A	E	N/I	3	N/I	2	3	2, 10
Cache River Valley Seed — DXEX 21-4	M	A	E	N/I	3	N/I	2	3	2, 10
Corteva — 26R10	L	A	G	R	N/I	N/I	6	N/I	1, 12
Corteva — 26R36	E	A	G	I	N/I	N/I	3	N/I	1, 12
Corteva — 26R41	M	A	G	R	N/I	N/I	3	N/I	1, 12
Corteva — 26R45	M	U	G	R	N/I	N/I	3	N/I	1, 12
Corteva — 26R59	M	U	G	I	N/I	N/I	5	N/I	1, 12
Delta Grow Seed — Delta Grow 1000	M	A	E	I	8	7	8	8	1, 15
Delta Grow Seed — Delta Grow 1200	ME	A	E	I	8	7	8	7	1, 15
Delta Grow Seed — Delta Grow 1800	ME	A	E	I	8	7	7	7	1, 15
Dyna Gro/Nutrien Ag Solutions — DG 9002	M	A	E	R	3	N/I	3	N/I	3
Dyna Gro/Nutrien Ag Solutions — DG 9120	E	A	E	S	5	3	3	7	3
Dyna Gro/Nutrien Ag Solutions — DG 9151	ME	A	G	S	3	2	4	2	3
Dyna Gro/Nutrien Ag Solutions — DG 9172	M	A	E	S	2	2	2	2	3
Dyna Gro/Nutrien Ag Solutions — DG 9352	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	3
Dyna Gro/Nutrien Ag Solutions — DG 9393	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	3
Dyna Gro/Nutrien Ag Solutions — DG 9701	ME	A	G	R	2	2	2	3	3
Dyna Gro/Nutrien Ag Solutions — DG WX 21741	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	3
Dyna Gro/Nutrien Ag Solutions — DG WX20738	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	3
Dyna Gro/Nutrien Ag Solutions — DG WX22741	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	3
Green Valley Seed LLC — 63X	E	A	G	I	1	2	3	N/I	13
Green Valley Seed LLC — 64X	M	A	G	I	1	2	3	N/I	13

## Characteristics for wheat varieties (continued)

Variety name	Maturity <sup>1</sup>	Head type <sup>2</sup>	Winter hardy <sup>3</sup>	Hessian fly <sup>4</sup>	FHB <sup>5</sup>	Stem rust <sup>6</sup>	Leaf rust <sup>7</sup>	BYDV <sup>8</sup>	Seed treatment <sup>9</sup>
Green Valley Seed LLC — GV 619	E	A	E	I	1	3	1	N/I	13
Green Valley Seed LLC — GV 631	M	A	G	I	1	2	2	N/I	13
Green Valley Seed LLC — GV 652	ML	A	E	I	3	3	1	N/I	13
Hoffman Seed House — H7W21	M	A	E	I	5	3	5	4	1, 11
Hoffman Seed House — H7W30	M	U	E	I	3	3	5	3	1, 11
Hoffman Seed House — H7W40	M	U	E	I	2	5	4	3	1, 11
Krause Seeds Inc. — K 1202 SRW	M	A	E	N/I	2.5	3	3.5	2	1, 10
Krause Seeds Inc. — K 1203 SRW	ME	A	E	N/I	2.5	3	4	2	1, 10
Krause Seeds Inc. — K 2202 SRW	E	A	G	N/I	2.5	5	3	5	1, 10
KWS Cereals — KWS394	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	
KWS Cereals — KWS398	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	
KWS Cereals — KWS403	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	
KWS Cereals — KWS405	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	
KWS Cereals — KWS411	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	
KWS Cereals — KWS419	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	
Lakeview — LV1442	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	
Lakeview — LV1542	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	
Local Seed Company LLC — Revere 2148	ME	U	E	S	1	2	3	2	14
Local Seed Company LLC — Revere 2169	M	A	E	N/I	2	2	2	2	14
Local Seed Company LLC — Revere 2266	M	A	E	N/I	2	2	3	2	14
Local Seed Company LLC — Revere X22A	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	14
MCIA — Momentum 106	E	U	G	N/I	2	N/I	5	2	
MCIA — Momentum 110	E	A	G	N/I	2	N/I	3	3	

## Characteristics for wheat varieties (continued)

Variety name	Maturity <sup>1</sup>	Head type <sup>2</sup>	Winter hardy <sup>3</sup>	Hessian fly <sup>4</sup>	FHB <sup>5</sup>	Stem rust <sup>6</sup>	Leaf rust <sup>7</sup>	BYDV <sup>8</sup>	Seed treatment <sup>9</sup>
MCIA — MOMEX X219	M	U	E	N/I	3	2	1	N/I	
MFA — MFA 2020	M	A	9	S	7	7	6	7	1, 15
MFA — MFA 2726	E	A	7	S	8	8	8	6	1, 15
MFA — MFA 2832	M	A	7	S	8	6	6	8	1, 15
MFA — MFA 2922	E	A	7	S	7	6	8	6	1, 15
Service and Supply Coop — XL 210	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	
Service and Supply Coop — XL 222	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	
Service and Supply Coop — XL 297	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	
Service and Supply Coop — XL 332	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	
Stratton Seed Company — Go Wheat 2058	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	
Stratton Seed Company — Go Wheat 2059	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	
Stratton Seed Company — Go Wheat 4059S	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	
Stratton Seed Company — Go Wheat 6056	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	
UniSouth Genetics — USG 3329	ME	A	E	S	2	4	4	3	6, 7, 8
UniSouth Genetics — USG 3352	ME	A	E	MR	4	N/I	3	N/I	6, 7, 8
UniSouth Genetics — USG 3472	M	A	E	S	2	2	2	2	6, 7, 8
UniSouth Genetics — USG 3783	ML	A	G	S	4	N/I	3	2	6, 7, 8
Virginia Crop Improvement Association — Hilliard	M	A	N/I	N/I	2	N/I	1	2	4, 5
Virginia Crop Improvement Association — Liberty 5658	M	A	N/I	N/I	1	N/I	1	2	4, 5
Virginia Crop Improvement Association — VA17W-75	E	A	N/I	N/I	1	N/I	N/I	N/I	16, 17

<sup>1</sup> E = Early, M = Medium, L = Late, N/I means the company did not provide information

<sup>2</sup> A = Awned, U = Unawned, N/I means the company did not provide information

## Characteristics for wheat varieties (continued)

- <sup>3</sup> E = Excellent, G = Good, F = Fair, N/I means the company did not provide information
- <sup>4</sup> S = Susceptible, R = Resistant, I = Intermediate, N/I means the company did not provide information
- <sup>5</sup> FHB = fusarium head blight: 1 to 9 rating, 1 = excellent 9 = poor; N/I = company did not provide information
- <sup>6</sup> 1 to 9 rating, 1 = Excellent 9 = Poor, N/I means the company did not provide information
- <sup>7</sup> 1 to 9 rating, 1 = Excellent 9 = Poor, N/I means the company did not provide information
- <sup>8</sup> BYDV = barley yellow dwarf virus: 1 to 9 rating, 1 = Excellent 9 = Poor, N/I means the company did not provide information
- <sup>9</sup> 1=Cruiser, 2=CruiserMaxx, 3=DYNA-SHIELD FOOTHOLD, 4=Awaken ST, 5=Foothold Virock, 6=Imidacloprid, 7=Metalaxyl, 8=Ipconazole, 9=Prime ST, 10=Vibrance, 11=Vibrance Extreme, 12=Vibrance Quattro, 13=CruiserMaxx Cereals, 14= Radius Premium, 15=Apron, 16=Cruiser 5FS, 17 CruiserMaxx Vibrance, N/I means the company did not provide information